

*dyna*BLADE



CUTTING EDGE PERFORMANCE

Like a diamond, the *dyna*BLADE stands the test of time.

PRECISION. DURABILITY. QUALITY. These three features make our *dyna*BLADE the best verti-cut blade in the world.

STRONG BY DESIGN. Each *dyna*BLADE is made with the highest quality hand-picked steel, and laser-cut to our exacting specifications for superior toughness and wear.

TUNGSTEN CARBIDE TIPS. Protect from abrasion for extended life and maintain a consistent cutting depth for maximum thatch removal.

SAVE TIME AND MONEY. Fewer height adjustments and blade replacements will help you save on maintenance and make verti-cutting a snap!

Manufactured to fit OEM heads including:
Toro, John Deere, Jacobsen, R&R Products,
Graden, Redexim, First Products and more...

Convert that old mower into a dedicated verti-cut mower!
Checkout our blade specifications to find the right blade for you.



IT'S THE BEST CHOICE FOR ALL YOUR GREENS, FAIRWAYS, GROOMING AND SPIKING NEEDS:

- Increased thatch removal
- Wear-resistant tips
- Longer-lasting blades
- Less wear on your mower
- Save on replacement costs
- Vented blades for reduced cleanup





SUPERIOR TURF MAINTENANCE EQUIPMENT... ENGINEERED FOR PROFESSIONALS

	dynaBLADE Part No.	Replace OEM Part No.	TIP WIDTH	COMPATIBLE MOWERS
TORO	DB2 R01	106-6355	5/64" (2 mm)	Greensmaster Walk Mowers 800, 1000, 1600, 2000 and 2600; Greensmaster Riding Mowers 1000, 2, 3, 300, 3000, 3050, 3100, 3100D, 3150, 3200 and 3250D; Reelmaster Mowers 223, 223D, 5100D, 5200D, 5300D and 5400D using Thatching Reels 04416 and 04493; Reelmaster Mowers 5210, 5410, 5510, 5610 and Model 03664
	DB2 S01	106-5422	3/64" (1.2 mm)	Same as DB2 R01 except Fairway Mowers 5210, 5410, 5510 and 5610
	DB0 R05	WB Only	N/A	Same as DB2 R01
	DB0 R07	93-3038-03 106-8625	5/64" (2 mm)	Reelmaster Mowers 5500, 5610, 6500D, 6700D, 216, 2000D, 2300D, 2600D and 3100D, Dual Point Adjust Cutting Units 6500, 6700, Single Point Adjust Cutting Unit, 5500D, 6500D and 6700D and Model 03660
	DB0 R08A	01-283-0090	1/8" (3 mm)	Olathe Model 83 / Aerothatch 83
	DB0 R08B	01-283-0120	5/8" (4 mm)	Olathe Model 83 / Aerothatch 83
	DB0 R08C	01-283-0130	3/15" (5 mm)	Olathe Model 83 / Aerothatch 83
	DB0 R13 (hex shaft)	70-1170 95-5719 110-2393	3/64" (1.2 mm)	Greensmaster Walk Mowers (1991-97) 800, 1000, 1600, 2000 and 2600, 1998 and up, and Flex 18 and 21; Greensmowers Riding Mowers (1989 and up) 3, 300, 3000 4-Bolt & Single Point Adjust Cutting Unit (Models 04460, 04465, 04468 and 04478); Greensmaster Riding Mowers 3100, 3150, 3250, 3050 (Single Point and 4-Bolt Adjust Cutting Unit) Greensmaster Dual Point Adjust
	DB0 R20	82-3070-03	1/8" (3 mm)	Reelmaster Mowers 350D, 335D, 3500D, 450D, 4000D and 4500D
	DB0 R22	59-6280	3/15" (5 mm)	Reelmaster Mowers 350D, 335D, 3500D, 450D, 4000D and 4500D
	DB0 R34 (D shaft)	110-2333 110-2343	3/64" (1.2 mm)	Greensmaster Walk Mowers Flex 18, Flex 21, Spring Steel Groomer Reel, Greenmaster Flex 1800, 3000, 3050, 3100, 3150, 3259 DPA Cutting Unit, Reelmaster 3300, and 3400
	DB0 R48 (hex shaft)	108-4290	3/64" (1.2 mm)	Reelmaster Mowers 5500D, 6500D, 6700D
	DB2 R56	119-1128	5/64" (2 mm)	Greensmaster Riding Mowers 3300, 3320, 3400 and 3420
	DB2 S56	119-1128	3/64" (1.2 mm)	Greensmaster Riding Mowers 3300, 3320, 3400 and 3420
	DB0 R98 (D shaft)	112-6963	3/64" (1.2 mm)	Reelmaster Mowers 3550D, 5210, 5410, 5510, 5610 and 7000 DPA Cutting Unit
	JOHN DEERE	DB2 R01	AMT2703 ET17719 TCU26776	5/64" (2 mm)
DB2 S01		AMT2703 ET17719 TCU26776	3/64" (1.2 mm)	Same as DB2 R01
DB0 R05		WB Only	N/A	Same as DB2 R01
DB0 R11A		ET14707	3/64" (1.2 mm)	Walk Greens Mowers 180C, 220C, 220E and 260C; Riding / Hybrid Greens Mowers 2243, 2500, 2500A, 2500B, 2500E and 2500E Hybrid; Quick Adjust 5 (QA5) Reel Cutting Unit – Model 220E, 2500B, 2500E Hybrid, 7500, 8500, 7500 E Hybrid, 8500 E Hybrid and 8000 E Hybrid (Greens Turf Conditioner – GTC)
DB0 R11B		ET11030	3/64" (1.2 mm)	Walk Greens Mower Model 22
DB0 R12		MT6987	5/64" (2 mm)	Heavy Duty Cutting Reels Fairway Mowers 3215, 3215A, 3215B, 3225B, 3225C, 3235A, 3235B, 3235C, 7700 and 8700
DB0 R14		ET17647	5/64" (2 mm)	Gang Mowers 305 and 365
DB0 R15A		TCU21824	3/64" (1.2 mm)	Aercore 800
DB0 R109		MT2624	3/64" (1.2 mm)	Quick Adjust 7 (QA7) Reel Cutting Unit – Model 2653B, 7200, 7700, and 8700 (Fairway Turf Conditioner – FTC)
DB0 R111		ET13953	1/8" (3 mm)	519 Walk-Behind Vertical Mower

All OEM's names and part numbers are used for identification purposes only. We are in no way representing that our products are original parts.

BLADE SPECIFICATIONS

"PROVEN BY THOUSANDS OF CUSTOMERS"

	dynaBLADE Part No.	Replace OEM Part No.	TIP WIDTH	COMPATIBLE MOWERS
JACOBS	DB2 R04	335449	5/64" (2 mm)	Riding Greens Mowers G-PLEX III, GK, II, IV, V, and VI; TF-60; Fairway Mowers LF-100, LF-123, LF-128, LF-3400, LF-4675 and 1880
	DB2 S04	335449	3/64" (1.2 mm)	Same as DB2 R04
	DB0 R08A	348570	1/8" (3 mm)	Rogers 548 Aerator
	DB0 R08B	348571	5/8" (4 mm)	Rogers 548 Aerator
	DB0 R08C	347394	3/15" (5 mm)	Rogers 548 Aerator
	DB0 R10	ET17647	WB Only	Same as DB2 R04
	DB0 R19	3007138	5/64" (2 mm)	Fairway Mowers LF-3800, LF-3810, LF-4677, LF-3407, and LF-3400 (Open Shaft Slot Style)
	DB0 R25	R101160	5/64" (2 mm)	Walking Greens Mowers 422, 518, 522 (Open Shaft) and 19" and 22" Walking Mowers
TRUE-SURFACE / TURFLINE	DB2 R01	21A-GCC-002	5/64" (2 mm)	Vacu-Cutter Insert
	DB2 S01	21A-GCC-002	3/64" (1.2 mm)	Same as DB2 R01
	DB0 R83	21A-GCC-322	5/64" (2 mm)	Vacu-Scarifier Insert
	DB0 R86	21A-GCC-322	3/64" (1.2 mm)	Same as DB0 R83
GREENTEK / THATCH-A-WAY	DB2 R01	TATTF002C	5/64" (2 mm)	Thatch-Away Replacement Cassettes (Verticutter) - SUPA-SYSTEM
	DB2 S01	TATTF002C	3/64" (1.2 mm)	Same as DB2 R01
	DB0 R83	TAS3322	5/64" (2 mm)	Scarifier Cassette
	DB0 R86	TAS3322	3/64" (1.2 mm)	Same as DB0 R83
	DB2 S47		3/64" (1.2 mm)	Groomer/POA Buster Cassette
ATT	DB2 R01	7410910	5/64" (2 mm)	Thatchmaster Cassette (Verticutter), TM System
	DB2 S01	7410910	3/64" (1.2 mm)	Same as DB2 R01
	DB0 R83	7410188	5/64" (2 mm)	Scarifier Cassette, TM System
	DB0 R86	7410188	3/64" (1.2 mm)	Same as DB0 R83
	DB2 S47	7410009	3/64" (1.2 mm)	Ultra Grooma Cassette, TM System
POWER TRIM	DB0 R40	310	5/64" (2 mm)	Power Trim 150, 200, 200-4, 200-8, 200-H, 208-H, 208-V, 300-H, 300-IC and 308-H
GKB	DB0 L33A	500001	2" x 3/64" (1.2 mm)	CB-120, CB-160, CB-200 and CB-240
	DB0 L33C	500001	2" x 1/8" (3 mm)	CB-120, CB-160, CB-200 and CB-240

All OEM's names and part numbers are used for identification purposes only. We are in no way representing that our products are original parts.

BLADE SPECIFICATIONS

"PROVEN BY THOUSANDS OF CUSTOMERS"

	dynaBLADE Part No.	Replace OEM Part No.	TIP WIDTH	COMPATIBLE MOWERS
DENNIS (HOWARDSON)	DB2 R06	229538	5/64" (2 mm)	Verticut TT/FT Range/Super Six
	DB0 R13	229771	3/64" (1.2 mm)	G560 and G680
	DB2 R50	229290	5/64" (2 mm)	G Series G660, G760 and G860
ARIENS	DB0 R21	Gravely 02095700 Locke 110029 Bush Hog 500302031	1/8" (3 mm) 1/8" (3 mm) 1/8" (3 mm)	Gravely TVM 3077 and TVM 5130 Gravely TVM 3077 and TVM 5130 Bush Hog TVM-33
GRADEN / RYAN	DB0 R17AX (2 tip)	Ryan 516901 Graden 0381	3/64" (1.2 mm) 3/64" (1.2 mm)	Mataway Overseeder/Dethatcher/Power Rake (Straight Blade) GS04 Verticutter (Straight Blade)
	DB0 R17BX (2 tip)	Ryan 516900 Graden 0048	5/64" (2 mm) 5/64" (2 mm)	Mataway Overseeder/Dethatcher/Power Rake (Straight Blade) GS04 Verticutter (Straight Blade)
	DB0 R17C (2 tip)	Ryan 516898 Graden 0049	1/8" (3 mm) 1/8" (3 mm)	Mataway Overseeder/Dethatcher/Power Rake (Straight Blade) GS04 Verticutter (Straight Blade)
	DB0 R66 (6 tip)	Ryan 523293 Graden 0381	3/64" (1.2 mm) 3/64" (1.2 mm)	Mataway Overseeder/Dethatcher/Power Rake GS04 Verticutter (Circular Blade)
	DB0 R15B (6 tip)	Ryan 523293 Graden 048	5/64" (2 mm) 5/64" (2 mm)	Mataway Overseeder/Dethatcher/Power Rake GS04 Verticutter (Circular Blade)
	DB0 R15C (6 tip)	Ryan 523293 Graden 049	1/8" (3 mm) 1/8" (3 mm)	Mataway Overseeder/Dethatcher/Power Rake GS04 Verticutter (Circular Blade)
	DB0 R38A	1122	3/64" (1.2 mm)	Sand Injection/Tractor Mount
	DB0 R38B	0232	5/64" (2 mm)	Sand Injection/Tractor Mount
	DB0 R38C	0217	1/8" (3 mm)	Sand Injection/Tractor Mount
	DB0 R43	516897	1/8" (3 mm)	Ren-O-Thin Power Rake (Flail Blade)
SISIS	DB0 R54A	F36608	3/64" (1.2 mm)	Rotorake 600 and TM 1000
	DB0 R54B	F36106	5/64" (2 mm)	Rotorake 600 and TM 1000
	DB0 R54C	F36231	1/8" (3 mm)	Rotorake 600 and TM 1000
	DB0 R70A	F36653	3/64" (1.2 mm)	Veemo
	DB0 R70B	F36560	5/64" (2 mm)	Veemo
THATCHMASTER (TURFTIME)	DB0-R29A	301	1/8" (3 mm)	Thatchmaster TM 360 and TM 480 (pre 2010 shafts)
	DB0 R29B	301	5/64" (2 mm)	Thatchmaster TM 360 and TM 480 (pre 2010 shafts)
	DB0 R32A	TM-1009	3/64" (1.2 mm)	Thatchmaster TM 360 and TM 480
	DB0 R32B	TM-1010	5/64" (2 mm)	Thatchmaster TM 360 and TM 480
	DB0 R32C	TM-1011 (6301)	1/8" (3 mm)	Thatchmaster TM 600 and TM 720
HARPER	DB0 R37	970420	2" long x 3 mm wide	Goosen VC 60